

POINT


FABRICS
2026 - 2027

En POINT seleccionamos tejidos diseñados para resistir el paso del tiempo y las condiciones más exigentes en exterior. Combinan estética y alto rendimiento técnico, garantizando una elevada resistencia a la decoloración, al moho, a las manchas y a los rayos UV, manteniendo el color y la textura incluso con un uso prolongado.

Todos nuestros tejidos están libres de PFAS y una parte de la colección se elabora con fibras recicladas, reafirmando nuestro compromiso con la sostenibilidad. Respalados por una garantía de 5 años, nuestros textiles son el reflejo de una calidad pensada para perdurar.

At POINT, we select fabrics that are designed to withstand the passage of time and the harshest outdoor conditions. They combine aesthetics and excellent technical performance, guaranteeing high resistance to fading, mold, staining and UV rays, retaining their color and texture, even with long-term use.


All our fabrics are PFAS free and part of the collection is made from recycled fibers, underlining our commitment to sustainability. Backed by a 5-year guarantee, our textiles are characterized by quality that is designed to last.



G4 1328
50.000 C. Martindale




G4 1286
50.000 C. Martindale



G2 1316
11.000 C. Martindale




G4 1331
50.000 C. Martindale



G2 1088
25.000 C. Martindale




G3 1325
10.000 C. Martindale




G2 1249
18.000 C. Martindale




G2 1069
23.000 C. Martindale




G2 1321
11.000 C. Martindale




G3 1278
60.000 C. Martindale




G1 22
20.000 C. Martindale



G1 21
20.000 C. Martindale



G1 1101
20.000 C. Martindale




G1 1103
20.000 C. Martindale



G3 1323
10.000 C. Martindale




G4 1288
50.000 C. Martindale




G2 1252
20.000 C. Martindale



G2 1312
13.000 C. Martindale




G3 1280
60.000 C. Martindale



G2 1311
13.000 C. Martindale




G2 1306
23.000 C. Martindale




G2 1318
11.000 C. Martindale




G4 1287
50.000 C. Martindale




G2 1220
13.000 C. Martindale




G3 1277
60.000 C. Martindale




G2 1086
25.000 C. Martindale




G2 1319
11.000 C. Martindale




G2 1269
20.000 C. Martindale




G2 1253
20.000 C. Martindale



G4 1329
50.000 C. Martindale




G2 1308
21.000 C. Martindale



G2 1320
11.000 C. Martindale




G3 1324
10.000 C. Martindale




G2 1313
18.000 C. Martindale




G2 1303
20.000 C. Martindale




G4 1326
50.000 C. Martindale




G2 1305
23.000 C. Martindale



G4 1337
40.000 C. Martindale



G2 1314
18.000 C. Martindale




G4 1333
40.000 C. Martindale



G4 1332
50.000 C. Martindale




G3 1322
10.000 C. Martindale



G2 1309
21.000 C. Martindale




G2 1304
23.000 C. Martindale




G2 1310
13.000 C. Martindale



G2 1068
23.000 C. Martindale



G4 1336
40.000 C. Martindale




G4 1335
40.000 C. Martindale



G4 1330
50.000 C. Martindale




G4 1327
50.000 C. Martindale



G2 1307
21.000 C. Martindale




G2 1315
18.000 C. Martindale




G2 1317
11.000 C. Martindale



G4 1290
50.000 C. Martindale




G2 1340
23.000 C. Martindale




G4 1334
40.000 C. Martindale


BATYLINE




G2 35
120.000 C. Martindale



G3 13
50.000 C. Martindale




G3 09
50.000 C. Martindale



G2 58
120.000 C. Martindale



G3 10
50.000 C. Martindale



G3 11
50.000 C. Martindale

REF.	COMPOSITION	MARTINDALE CYCLES	WIDTH	WEIGHT	LIGHT FASTNESS	FEATURES
0021	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m ²	7/8	      
0022	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m ²	7/8	      
1068	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m ²	8	      
1069	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m ²	8	      
1086	100% Solution-Dyed Acrylic	25,000	160 cm - 63 in	400 gr/m ²	7/8	      
1088	100% Solution-Dyed Acrylic	25,000	160 cm - 63 in	400 gr/m ²	7/8	      
1101	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m ²	7/8	      
1103	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m ²	7/8	      
1220	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m ²	8	      
1249	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m ²	8	      
1252	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m ²	7/8	      
1253	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m ²	7/8	      
1269	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m ²	7/8	      
1277	100% Solution-Dyed Acrylic	60,000	160 cm - 63 in	615 gr/m ²	7/8	      
1278	100% Solution-Dyed Acrylic	60,000	160 cm - 63 in	615 gr/m ²	7/8	      
1280	100% Solution-Dyed Acrylic	60,000	160 cm - 63 in	615 gr/m ²	7/8	      
1286	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	830gr/m	6/8	      
1287	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	      
1288	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	      
1290	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	      
1303	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m ²	7/8	      
1304	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m ²	8	      
1305	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m ²	8	      
1306	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m ²	8	      
1307	100% Solution-Dyed Acrylic - 50% Rec.	21,000	140 cm - 55 in	365gr/m ²	8	      
1308	100% Solution-Dyed Acrylic - 50% Rec.	21,000	140 cm - 55 in	365gr/m ²	8	      
1309	100% Solution-Dyed Acrylic - 50% Rec.	21,000	140 cm - 55 in	365gr/m ²	8	      
1310	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m ²	8	      
1311	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m ²	8	      
1312	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m ²	8	      
1313	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m ²	8	      
1314	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m ²	8	      
1315	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m ²	8	      
1316	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m ²	8	      
1317	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m ²	8	      
1318	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m ²	8	      
1319	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m ²	8	      
1320	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m ²	8	      
1321	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m ²	8	      
1322	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m ²	8	      
1323	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m ²	8	      
1324	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m ²	8	      
1325	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m ²	8	      
1326	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	      
1327	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	      

REF.	COMPOSITION	MARTINDALE CYCLES	WIDTH	WEIGHT	LIGHT FASTNESS	FEATURES
1328	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	      
1329	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	      
1330	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	      
1331	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	      
1332	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	      
1333	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	950gr/m	7/8	      
1334	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	950gr/m	7/8	      
1335	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	950gr/m	7/8	      
1336	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	700gr/m	7/8	      
1337	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	700gr/m	7/8	      
1340	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m ²	8	       

BATYLINE MESH FABRICS

0009	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m ²	7/8	     
0010	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m ²	7/8	     
0011	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m ²	7/8	     
0013	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m ²	7/8	     
0035	PVC- and Acrylic-Coated Polyester - 28% Rec.	120,000	180 cm - 70,9 in	490 gr/m ²	7/8	      
0058	PVC- and Acrylic-Coated Polyester - 28% Rec.	120,000	180 cm - 70,9 in	490 gr/m ²	7/8	      

All our fabrics are free from PFAS. 5 Year Warranty.

 Water repellent
  Breathable
  Stain resistant
  Mould resistant
  Easy to clean
  Bleach cleanable
  UV resistant

POINT